

SECTION 6: FIRST AID MEASURE

Eye: Immediately flush with water for 15 minutes. Get medical attention.
Skin: Flush with water. If irritation occurs, get medical attention.
Inhalation: Remove to fresh air. Get medical attention if ill effects persist.
Oral: Do not give liquids if victim is unconscious or very drowsy. Otherwise, give no more than 2 glasses of lukewarm water to dilute ingested material. Do not induce vomiting. Get immediate medical attention.

SECTION 7: REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Avoid heat, sparks and flames.

Materials to Avoid: Strong-oxidizing agents. Do not store or handle in aluminum equipment at ambient or surface temperatures above 120 degrees F.

SECTION 8: LEAK OR SPILL INFORMATION

Containment/Clean-up: Disposal of collected product, residues, and cleanup materials may be governmentally regulated. Observe all applicable local, state, and federal waste management regulations. Remove possible ignition sources and if needed, use non-sparking tools and equipment. To prevent possible spontaneous combustion, store rags, mops, absorbent, etc., used during cleanup only in appropriate containers or covered with water. Mop, wipe, or soak up with absorbent material and contain for salvage or disposal. For large spills, provide diking or other appropriate containment to keep material from spreading. Clean any remaining slippery surfaces by appropriate techniques, such as, washing with mild, caustic detergents or solutions; or high-pressure steam for large areas. Observe any safety precautions applicable to the cleaning material used. Use self-contained breathing apparatus and suitable protective wear, such as full-face respirator, and wash hands.

SECTION 9: SPECIAL PROTECTION INFORMATION

Respiratory Protection: If exposure may or does exceed occupational exposure limits, use a NIOSH-approved respirator to prevent overexposure. In accord with 29 CFR 1910.134 use either an atmosphere-supplying respirator or an air-purifying respirator for organic vapors.

Gloves: Avoid prolonged or repeated contact with skin. Wear chemical-resistant gloves.

Eye Protection: Safety glasses at a minimum.

Protective Equipment: Safety shower and eyewash fountain should be within direct access. Use explosion-proof ventilation as required to control vapor concentrations.

Personal Hygiene: Do not get in eyes, on skin or on clothing. Wash thoroughly, after handling. Wash contaminated clothing before reuse.

SECTION 10: TRANSPORT INFORMATION

DOT Information (49CFR 172.101)

Proper Shipping Name: Isopropanol

Hazard Technical Name:

Hazard Class: 3

UN Number: UN 1219

Packing Group: II

Revision: 12/05/02

MSDS Coordinator - Adstl, Palm Coast, FL 32137 Ph 386-445-8239